

LÍNEA AUTOMOTRIZ

PRENSAS HIDRÁULICAS Y ENDEREZADORES



FORJA

Calidad para toda la vida

PRENSA HIDRAÚLICA DE TALLER

Con manómetro

Hydraulic Shop Press With Gauge

Model No.: LD-P01102A
Capacity: 10T
Stroke(mm): 120
Working Range(mm): 0-330
Bed Width(mm): 365
N.W.(kg): 45
G.W.(kg): 48
Package Size(cm): 80*58*115
Qty/20'CY: 375pcs



Hydraulic Shop Press With Gauge

Model No.: LD-P01102B
Capacity: 10T
Stroke(mm): 140
Working Range(mm): 0-350
Bed Width(mm): 355
N.W.(kg): 41
G.W.(kg): 44
Package Size(cm): 80*55*115
Qty/20'CY: 400pcs



Hydraulic Shop Press With Gauge

Model No.: LD-P01121
Capacity: 12T
Stroke(mm): 140
Working Range(mm): 0-840
Bed Width(mm): 465
N.W.(kg): 60.5
G.W.(kg): 67
Package Size(cm): 134*21*121
Qty/20'CY: 260pcs



Hydraulic Shop Press With Gauge

Model No.: LD-P01201
Capacity: 20T
Stroke(mm): 120
Working Range(mm): 0-970
Bed Width(mm): 490
N.W.(kg): 82.5
G.W.(kg): 90
Package Size(cm): 158*22*25
Qty/20'CY: 200pcs



Hydraulic Shop Press With Gauge

Model No.: LD-P01301
Capacity: 30T
Stroke(mm): 160
Working Range(mm): 0-950
Bed Width(mm): 610
N.W.(kg): 122
G.W.(kg): 133
Package Size(cm): 166*28*32
Qty/20'CY: 138pcs



Hydraulic Shop Press With Gauge

Model No.: LD-P01301E
Capacity: 30T
Stroke(mm): 160
Working Range(mm): 0-960
Bed Width(mm): 585
N.W.(kg): 122
G.W.(kg): 133
Package Size(cm): 166*28*32
Qty/20'CY: 138pcs



Hydraulic Shop Press With Gauge

Model No.: LD-P01401
Capacity: 40T
Stroke(mm): 200
Working Range(mm): 0-850
Bed Width(mm): 690
N.W.(kg): 192
G.W.(kg): 217
Package Size(cm): 90*35*185
Qty/20'CY: 48pcs



Hydraulic Shop Press With Gauge

Model No.: LD-P01503
Capacity: 50T
Stroke(mm): 200
Working Range(mm): 0-690
Bed Width(mm): 640
N.W.(kg): 219
G.W.(kg): 246
Package Size(cm): 168*92*143
Qty/20'CY: 42pcs



PRENSA HIDRAÚLICA DE TALLER

Con manómetro

Hydraulic/ pneumatic Shop Press With Gauge



Model No.: LD-P01122
Capacity: 12T
Stroke(mm): 140
Working Range(mm): 0-840
Bed Width(mm): 465
N.W.(kg): 63.5
G.W.(kg): 70
Package Size(cm): 134*72*121
Qty/20'CY: 250pcs



Model No.: LD-P01302
Capacity: 30T
Stroke(mm): 160
Working Range(mm): 0-950
Bed Width(mm): 610
N.W.(kg): 125
G.W.(kg): 136
Package Size(cm): 168*28*32
Qty/20'CY: 130pcs



Model No.: LD-P01202
Capacity: 20T
Stroke(mm): 120
Working Range(mm): 0-970
Bed Width(mm): 490
N.W.(kg): 85.5
G.W.(kg): 93
Package Size(cm): 156*22*25
Qty/20'CY: 190pcs



Model No.: LD-P01402
Capacity: 40T
Stroke(mm): 200
Working Range(mm): 0-850
Bed Width(mm): 690
N.W.(kg): 195
G.W.(kg): 220
Package Size(cm): 90*35*185
Qty/20'CY: 48pcs

Hydraulic/ pneumatic Shop Press With Gauge



CE
50T



Model No.: LD-P01501
Capacity: 50T
Stroke(mm): 200
Working Range(mm): 0-890
Bed Width(mm): 640
N.W.(kg): 222
G.W.(kg): 249
Package Size(cm): 168*92*43
Qty/20'CY: 42pcs



CE
50T

50T Electric Shop Press With Gauge

Model No.: LD-P01502
Capacity: 50T
Working Range(mm): 0-1035
Bed Width(mm): 650
N.W.(kg): 240
G.W.(kg): 275
Package Size: 108*138*182
Qty/20'CY: 35pcs



PRENSA HIDRAÚLICA DE TALLER

Sin manómetro



CE
20T
30T

Hydraulic Shop Press Without Gauge

Model No.: LD-P02201
Capacity: 20Ton
Working Range: 0-915mm
N.W.: 1#41kgs 2#39kgs
G.W.: 1#43kgs 2#41kgs
Package Size: 1#83*26*20cm
2#160*15*15cm

Model No.: LD-P02301
Capacity: 30Ton
Working Range: 0-960mm
N.W.: 1#50kgs 2#78kgs
G.W.: 1#52kgs 2#80kgs
Package Size: 1#83*26*20cm
2#160*15*15cm

CE
20T



20T Pneumatic Shop Press

Model No.: LD-P01202F
Capacity: 20T
Stroke(mm): 190
Working Range(mm): 61-1021
Bed Width(mm): 548
N.W./G.W.(kgs): 90/92
Package Size(cm): 1#156*19.5*13.5
2#62*30*12



CE
4T

Hydraulic Shop Press Without Gauge

Model No.: LD-P02041
Capacity: 4Ton
Working Range: 0-330mm
N.W.: 32kgs
G.W.: 33kgs
Package Size: 63*30*15cm



CE
6T

Hydraulic Shop Press Without Gauge

Model No.: LD-P02061
Capacity: 6Ton
Working Range(mm): 0-250
Width(mm): 400
N.W./G.W.(kg): 28/30 kgs
Package Size(cm): 94*43*12.5



CE
12T

Hydraulic Shop Press Without Gauge

Model No.: LD-P02121
Capacity: 12Ton
Working Range: 0-620mm
N.W.: 1#23kgs 2#20kgs
G.W.: 1#24kgs 2#22kgs
Package Size: 1#58*23*18cm
2#136*23*10cm

BOMBAS DE SOLDADURA Y DE MANO



8Ton Full-Welding Pump

Model No.: LD-J09401
Min. Height: 630mm
Stroke: 490mm
N.W.: 14kgs
G.W.: 15kgs
Package size: 68*14*14cm



AIR PUMP

Model	LD-J09301	LD-J09302	LD-J09303
Usable Oil Capacity (ml)	690	1600	2300
Rated Pressure (PSI)	1000	1000	1000
Output Flow Rate (in/min)	24.4 (No Load) 7.3 (Load)	42.7 (No Load) 11 (Load)	42.7 (No Load) 11 (Load)
Input Air Pressure (PSI)	100-120	90-140	90-140
Output port Threads	1/4"-18NPT	1/4"-18NPT	1/4"-18NPT
N.W. (kg)	7	6.5	10.5
G.W. (kg)	7.5	7	11
Package Size (cm)	39.5x18.5x18.5	28x15x20	33x18.5x20



LD-J09402



LD-J09403



LD-J09404



LD-J09405

HAND PUMPS/RAMS

Model	LD-J09402	LD-J09403	LD-J09404	LD-J09405
Capacity	15T	20T	30T	50T
Usable Oil Capacity (ml)	690	790	900	1200
Rated Pressure (PSI)	10000	10000	10000	10000
N.W. (kg)	7.8	8	9	11
G.W. (kg)	8.8	9	10	12
Package Size (cm)	68*14*14	68*14*14	68*14*14	68*14*14

RUEDAS INGLESAS



English Wheel

- * Large 90cm throat capacity
- * Working range: 87(H) * 90(L) cm
- * Totally three big wheels and nine anvils are available;
- * Quick-adjust lower anvil yoke for easy leveling;
- * Handles sheet metal to 16 gauge, copper and aluminum to 14 gauge;
- * Overall dimension: 107.5 * 76 * 136 cm; 90° swivel head;
- 6. Upper roll size: flat, 2-1/4" W * 6" diameter;
- 7. Bottom roll size: 1/8", 1/2" and 3/4" edge radius * 6" crown radius: flat with 5/16" * 1/4" step, and 2 flat rolls.

Model: LD-A01011
 Package: Wooden Case
 N.W.(kg): 71
 G.W.(kg): 92
 Package Size(cm): 112*24*147



Bench Top English Wheel

- * The machine includes one big upper wheel and 7 down anvils
- * Overall dimension: 53.5cm(H) * 59cm(W)
- * Working range: 35cm(H) * 38cm(L)
- * Big wheel: 15cm diameter * 2.5cm (W)

Model: LD-A01013
 Package: Brown Box
 N.W.(kg): 12.5
 G.W.(kg): 13.5
 Package Size(cm): 61*55*5

English Wheel

- * The smaller English wheel with the same anvils with LD-A01011
- * Overall dimension: 144(H) * 87(W) * 74(L) cm
- * Working range: 55(H) * 65(L) cm

Model: LD-A01012
 Package: Wooden Case
 N.W.(kg): 69.5
 G.W.(kg): 79.5
 Package Size(cm): 92*90*24



MARTILLO DESABOLLADOR



Professional Planishing Hammer

*Planishing Hammer has the same
4600blows hammers with LD-A02011
*Overall dimension: 135*68*77cm
*Working range: 52cm(H)*53cm(W)

Model: LD-A02012
Package: Wooden Case
N.W.(kgs): 40
G.W.(kgs): 46
Package Size(cm): 72.5*68.5*32.5



Professional Planishing Hammer

- + Overall Dimensions: 84.5*90*144cm
- + Working range: 60cm(H)*70cm(W)
- + Pneumatic Planishing Hammer includes filter/roller and foot pedal;
- + Hardened steel hammer head;
- + 70cm throat
- + Head opening: 2-1/2"
- + Air requirements: 15-120psi
- + Blows per minute: 4600
- + Height Adjustment: 1-1/2"

Model: LD-A02011
Package: Wooden Case
N.W.(kgs): 53
G.W.(kgs): 73
Package Size(cm): 159*96*20



9 Down Dies Available



Shrinker/ Stretcher With Stand

Model No.: LD-A03012
N.W.(kgs): 1#6.4, 2#14
G.W.(kgs): 1#6.8, 2#14.8
Package size(cm): 1#45*19*11, 2#61*24*21

Stand For Shrinker/ Stretcher

Model No.: LD-A03013
N.W.(kgs): 14
G.W.(kgs): 14.8
Package size(cm): 61*24*21



Shrinker/Stretcher

- + Shrinker/Stretcher set works up to 18 gauge mild steel and 16 gauge aluminum Includes heavy cast iron frame
- + Easy to operate
- + This is the ideal tool for making perfect fit rust repair patches around wheel openings, door jams, windshields and trunk gutters

Model No.: LD-A03011
N.W.(kgs): 6.4
G.W.(kgs): 6.8
Qty/Ctn: 1pc
Package size(cm): 45*19*11



FRENOS DE FLEXIÓN PARA METAL

Bendre

Model No.: LD-A01015
 Gage Capacity: 20mm
 N.W.(kgs): 1#17, 2#52
 G.W.(kgs): 1#19, 2#55
 Package size(cm): 1#70*63*15, 2#120*38*20



LD-A01015

30" Bending Brake

- Bend Material Up to 17 Gauge Steel and Mack Up to 90 degrees Bends;
- Bend material Up to 30 degrees Wide.
- Design for bench Top Mounting
- Using 4 each 3/8" Diameter Bolts
- Dimensions: 34-1/2" Diameter Bolts.

Model No.: LD-A01014
 N.W.(kgs): 13
 G.W.(kgs): 13.8
 Package Size(cm): 91.5*18*8



LD-A01014

Universal Bender

Model No.: LD-B03001
 N.W.(kgs): 29.4
 G.W.(kgs): 32.4
 Package size(cm): 35*25*24

Model No.: LD-B03002
 N.W.(kgs): 32
 G.W.(kgs): 35
 Package size(cm): 35*25*28



Pipe Bender

Model No.: LD-B02121
 Capacity: 12T
 Die Size: 1/2", 3/4", 1", 1-1/4", 1-1/2", 2"
 N.W.(kgs): 38.5
 G.W.(kgs): 40.5
 Package Size (cm): 63*54*18.5



Pipe Bender

Model No.: LD-B02161
 Capacity: 16T
 Die Size: 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3"
 N.W.(kgs): 59
 G.W.(kgs): 61.5
 Package Size (cm): 1#68*61*21, 2#34*30*16



DOBLADORA DE TUBOS

Manual

Hand Pipe Bender

Model: LD-B04003
 Pound Pipe: (Outer Diameter):
 3/8", 1/2", 9/16", 5/8", 3/4", 7/8"
 Square Pipe: (Outer Diameter): 3/4" x 1"
 Pipe Thickness: 0.8 - 1.2mm
 Max. Bending Angle: 180°
 N.W.: 24kgs
 G.W.: 25kgs
 Package size: 630*370*160mm



LD-B04003



Compact Bender

Model: LD-B04002
 Mild Steel Capacity: 5/16" x 1-1/4" or 1/4" x 2"
 Die Size: 1", 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", 3"
 N.W.: 24.5kgs
 G.W.: 26kgs
 Package Size: 92*27*27cm

LD-B04002



Bench Bender

Model: LD-B04001
 Mild Steel Capacity: 5/16" x 1-1/4" or 1/4" x 2"
 Die Size: 1", 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", 3"
 N.W.: 17.5kgs
 G.W.: 18.5kgs
 Package Size: 70*28*13cm

LD-B04001

Bead Roller Kit

Model: LD-A01016
 Capacity: 18 Gauge
 Throat: 15" x 0.9" (38x2cm)
 Dimension (LxWxH): 72x22x22 (cm)
 N.W./G.W. (kgs): 22/23



PORTO POWER

Porta Power

Model No.: LD-J08103
Capacity(Ton): 10T
Stroke(mm): 135
Min. Height(mm): 358
Gross Weight(kg): 33
Net Weight(kg): 30
Package Size(cm): 95*40*19



Porta Power

Model No.: LD-J08042
Capacity(Ton): 4T
Stroke(mm): 125
Min. Height(mm): 270
Gross Weight(kg): 20
Net Weight(kg): 18
Package Size(cm): 63*36.5*17.5



Porta Power

Model No.: LD-J08102
Capacity(Ton): 10T
Stroke(mm): 120
Min. Height(mm): 328
Gross Weight(kg): 31
Net Weight(kg): 29
Package Size(cm): 78*43*17



Porta Power

Model No.: LD-J08101
Capacity(Ton): 10T
Stroke(mm): 135
Min. Height(mm): 358
Gross Weight(kg): 33
Net Weight(kg): 30
Package Size(cm): 76*32*17



Porta Power

Model No.: LD-J08041
Capacity(Ton): 4T
Stroke(mm): 125
Min. Height(mm): 270
Gross Weight(kg): 20
Net Weight(kg): 18
Package Size(cm): 58*25*16.5



PORTO POWER

Porta Power

Model No.: LD-J08151
Capacity: 15Ton
Min. Height: 330mm
Stroke: 135mm
N.W.: 30kgs
G.W.: 32kgs
Package Size: 93*40*20cm



Porta Power

Model No.: LD-J08201
Capacity: 20Ton
Min. Height: 280mm
Stroke: 135mm
N.W.: 1#31kgs 2#33kgs
G.W.: 1#33kgs 2#35kgs
Package Size: 1#81*32*18.5cm 2#82*42*12cm



Porta Power

Model No.: LD-J08201S
Capacity: 20Ton
Min. Height: 280mm
Stroke: 135mm
N.W.: 1#30kgs, 2#32kgs
G.W.: 1#32kgs, 2#34kgs
Package size: 1#81*42*19.5cm 2#81*42*10cm



COMPRESOR DE RESORTE MECÁNICO



Mechanic Spring Compressor

Model No.: LD-C01017
Stroke(mm): 250
N.W.(kgs): 36
G.W.(kgs): 38
Package Size(cm): 68*34*20

NEW



Spring Compressor

Model No.: LD-C01018
Capacity: 1 Ton
Max.Spring Diameter: 300mm
Max.compressed Spring Length: 300mm
N.W.: 37kgs
G.W.: 39kgs
Package Size: 100*50*20cm

NEW



Multi-Tire Changer

TO Suit tire from 4" to 16.5" diameter;

Model No.: LD-C03006
Net Weight(kg): 33
Gross Weight(kg): 35
Package Size(cm): 54*33.5*76
QT Y/20'CY: 180pcs



COMPRESOR DE RESORTE 1T

1T Spring Compressor

Model No.: LD-C01014
Capacity: 1T
Max. Working Length(mm): 270mm
Stroke(mm): 100mm
Spring Size(mm): 4-6.5mm
N.W./G.W.(kg): 16.6/17.2
Package Size(cm): 56*21*17
Qty/20'CY: 1050pcs

Model No.: LD-C01012
Capacity: 1T
Max. Working Length(mm): 270mm
Stroke(mm): 100mm
Spring Size(mm): 4-6.5mm
N.W./G.W.(kg): 16/16.6
Package Size(cm): 56*21*16
Qty/20'CY: 1050pcs



LD-C01014



LD-C01012



Model No.: LD-C01011
Capacity(Ton): 1T
Compressed Spring Length(mm): 400
Compression Length(mm): 210-570
Gross Weight(kg): 37
Net Weight(kg): 34
Package Size(cm): 123*30*22



Model No.: LD-C01016
Capacity(Ton): 1T
Compressed Spring Length(mm): 400
Compression Length(mm): 210-570
Gross Weight(kg): 40
Net Weight(kg): 37
Package Size(cm): 123*30*22



ENDEREZADOR DE GUARDAFANGOS

Fender Reforming Tool

- Use for fender collision repair or fender flaring or to increase fender clearance;
- Fit most cars and light trucks with 4 or 5 lugs;
- Roller works on fender from inside wheel well;
- Attached hitch pin allows for wide or narrow angle;
- Adjustable arm has second telescoping arm with roller that allows for 180 degrees wheel swivel

Model No.: LD-A06011
 N.W. (kgs): 7
 G.W. (kgs): 8
 Package size (cm): 40*27*15



Quarter Puller

Model No.: LD-A06012
 Net Weight(kg): 1.4
 Gross Weight(kg): 1.7
 Package Size(cm): 23*17*8

Model No.: LD-A06013
 Net Weight(kg): 1.8
 Gross Weight(kg): 2.2
 Package Size(cm): 33*24*8.5



Alignment tools

Model No.: LD-J12502
 Capacity: 10T on

8 holes to suit for most of the cars



Turn Table

Model No.: LD-J12501
 Height(mm): 50
 Diameter of Round Pan(mm): 335
 Base Size(mm): 370*350
 Net Weight(kg): 31
 Gross Weight(kg): 33
 Package Size(mm): 480*400*130



ENDEREZADOR DE CHASIS



Car Roteserie

8T Hydraulic Ram
Solid caster wheels
Extendable outriggers
Easy wind handle for setting center of gravity
Spring loaded positioning pins
3.0mm gauge high quality steel

Model:	LD-A04013
Capacity:	4000LB
Opening Width:	Excess of 600cm
Height of arm to bottom rail:	115cm
Package:	Wooden Case
N.W. (kg):	188
G.W. (kg):	208
Package Size (cm):	155*75*40



Nylon Wheel Available



Solid Wheel Available



LD-A04013



LD-A04012
LD-A04011
LD-A04010



Car Roteserie

8T Hydraulic ram
Extendable outriggers
Easy wind handle for setting centre of gravity
Spring loaded positioning pins
3.0mm gauge high quality steel

Model:	LD-A04012
Capacity:	4000LB
Opening Width:	Excess of 600cm
Height of arm to bottom rail:	115cm
Package:	Wooden Case
N.W. (kg):	180
G.W. (kg):	200
Package Size (cm):	155*75*40

Car Roteserie

8T Hydraulic ram
Fixed position outriggers
Easy wind handle for setting centre of gravity
Spring loaded positioning pins
3.0mm gauge high quality steel

Model:	LD-A04011
Capacity:	3000LB
Opening Width:	Excess of 600cm
Height of arm to bottom rail:	115cm
Package:	Wooden Case
N.W. (kg):	173
G.W. (kg):	190
Package Size (cm):	154*72*36

Car Roteserie

8T Hydraulic ram
Fixed position outriggers
Easy wind handle for setting centre of gravity
Spring loaded positioning pins
3.0mm gauge high quality steel

Model:	LD-A04010
Capacity:	2000LB
Opening Width:	Excess of 600cm
Height of arm to bottom rail:	115cm
Package:	Wooden Case
N.W. (kg):	166
G.W. (kg):	183
Package Size (cm):	154*72*32.5