


LÍNEA HOGAR


VENTILADORES























▼▼ STAND FAN


A:9" B:10" C:12" D:16" E:18"








A:9" B:10" C:12" D:16" E:18"





Air cooler fan



















PRODUCT FEATURES

USAC-014

ation and pur	shine
umidificat	a multi-purpose machin
Cooling, h	a multi-pu

220V 50Hz/100 1600m³/H

Voltage/Power

Airflow

- rification function,
 - According evaporative cooling, humidifying principle, make cooling effect more obvious.
 Multi-function control panel, LED display,
 - intelligent remote control.
 - Anion function, purify air.

15-20m²

Applicable area

15L 10M

Water tank

Distance of wind

- Natural wind, sleep wind, standard wind for Centrifugal motor, lager wind, low noise.
- Pull-out water tank, easy for washing.

choose.

3 speed wind for choose.



400X465X905MM

Product size

8.6KG

က

Wind speed

N.W.







PRODUCT FEATURES

Voltage/Power	220V 50Hz/180W
Airliow	2500m³/H
Distance of wind	14M
Water tank	30 F
Applicable area	20-35m²
Wind speed	3
N.W.	10KG
Product size	405X445X1288MM



120cm



MO

9

y

¥







Q 2222 Q







USAC-013

USAC-008



Air Conditioner **Portable**

Series





















(((:::

















Feature

- ERP CLASS A,
 3 function in 1 (Air conditioner/dehumidification/heater)
 24-hour timer setting
 Easy to install
 Two drain pipe, dehumidification are
 separate drain water
 5000-10000 BTU For Option

- No water out when cooling Power cord is easy to store Refrigerant: R410A/R290 Auto close the air outlet Over-cold prevention function Remote control; LED Display





bedroom












Dark Gold



▶► PORTABLE AIR CONDITIONER












SKY-3A






▶▶ METAL FAN






▶► TABLE FAN










3260PCS/40HQ USTF-1114 32"

2095PCS/40HQ USTF-1113 29"

2115PCS/40HQ USTF-1108 29"

USTF-1126

27/28



9


USTF-1125A38"

USTF-1125 46"













USWF-316 USWF-320 USWF-320 USWF-320 USWF-320



► INDUSTRIAL FAN

▶► INDUSTRIAL FAN

| SF-910 | SF-911 | SF-913 | S



USEF-003 12"~24"

USEF-002 8"~16"

USEF-001 8"-24"

VENTILATING FAN

▶▶ VENTILATING FAN







USVF-807 4"/6"





















































USVF-804

USVF-606A 6"/8"








►► CEILING FAN










▶► DECORATION CEILING FAN



















DC CEILING FAN





Usb charge

Save power 50%

LED LIGHT

Over heat protection

1.15M HGITH


O Shlade

Stepless regulation

Осмотоя


USDC-477

▶▶ RECHARGEABLE/DC FAN










▶ ► RECHARGEABLE/DC FAN





▶▶ MOTOR/BLDC MOTOR



	5/8	-
_	4	100

oltage	Fiequency	Power	inch
700		30W	.9
NON		25W	to.
AGE	30Hz/60Hz	MOE	60
AOK.		35W	10.
NOS.		38W	12,


	Frequency	Power	inch
ı		20W	.9
		25W	10
	30Hz/60Hz	MOE	60
		35W	10,
		38W	12,



DATA:


•		ľ	١	
(1)	١	
ì	_	j	i	
,	_	0,	ì	
т		п	ı	

Box fan motor





Stand/Table fan motor

Stand/Table fan motor



29/60





| DC FAN MOTOR | Notinge | Inchesses | Power | Inchessor | Isav C | 284g.cm | Isav C | 187 | 16"

